



## SKYLINE

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE

Unit Illustrated is a ZDVRB3622N Zero Clearance Direct Vent Natural Gas Fireplace, Z36CVCK Designer Clean View Circulating Kit, MQ36SWFBL Wall Surround Flatt – Black, Z3622PRL Porcelain Reflective Panels, and MQRBD1 Contemporary Rock and Driftwood Set.

#### WALL SURROUND

CONCAVE, CONVEX & FLATT



#### STYLING

PEWTER




ROCK COLLECTION



DRIFT WOOD



DECORATIVE STONE



DECORATIVE EMBER GLASS



# Enjoy the **VIEW**

There is nothing subtle about this Skyline. It's pure sophistication that makes a statement with wide-view appeal and flexibility. Choose from the rocks and driftwood, decorative stones, or ember glass in a choice of colors for a sleek contemporary look.

Model	ZDVRB3622N	ZDVRB3622LP	MQRB4236LPT	MQRB4236NT		
	ZDVRB3622NE	ZDVRB3622LPE	MQRB4236LPTE	MQRB4236NTE		
Fuel	Natural	Propane	Propane	Natural		
Input Max.	17,500	17,500	24,000	24,000		
Input Min.	12,000	14,000	19,000	18,000		
FE (P.4.1-02)	63.8%/68.3%	63.8%/68.3%	46%	44.7%		

ZDVRB3622 MQRB4236

56"

387/16"

38<sup>1</sup>/16"

8<sup>3</sup>/4"

39<sup>5</sup>/8"

11"

15<sup>5</sup>/8"

28"

Α в

С

D

Е

F

G

н

Top Flue

Model

VIEWING AREA

MQRB4236 33<sup>3</sup>/8"

6313/16"

42<sup>7</sup>/16"

42<sup>1</sup>/16"

10<sup>11/16</sup>"


45<sup>1</sup>/8"


13<sup>3</sup>/4"


19<sup>1</sup>/2"

31<sup>7</sup>/8"


20<sup>3</sup>/8"







DESIGNER CLEAN VIEW	
CIRCULATING KIT (CVCK)	
Corner Framing Dimensions (inches)	



Top Flue Model	Height		Front	Width	Depth			
	Actual	Framing	Actual	Framing	Actual	Framing		
CLEAN VIEW CIRCULATING KIT (CVCK)								
ZDVRB3622	33 <sup>3</sup> /4"	36 <sup>3</sup> /4"	38 <sup>1</sup> /16"	387/16"	18 <sup>11</sup> /16"	<b>17</b> <sup>3/</sup> 4"		
MQRB4236	3613/16"	43"	42 <sup>1</sup> /16"	42 <sup>7</sup> /16"	18 <sup>15</sup> /16"	<b>19</b> <sup>1</sup> /2"		

Concave	А	В	С	D	Е	F	G	н	Т	J	L
MQRB42	42 <sup>11</sup> /16"	55 <sup>3</sup> /8"	36 <sup>3</sup> /8"	' 23 <sup>11</sup> /16"	9 <sup>1</sup> / <sub>2</sub> "	9 <sup>1</sup> /2"	9 <sup>1</sup> / <sub>2</sub> "	2"	<sup>1</sup> /2"	5 <sup>1</sup> / <sub>2</sub> "	36 <sup>3</sup> /8"
Convex	А	в	С	D	Е	F	G	н	I	J	L
MQRB42	42 <sup>7</sup> /8"	<b>44</b> <sup>1</sup> / <sub>3</sub> "	36 <sup>3</sup> /8"	23 <sup>3</sup> /4"	9 <sup>1</sup> /2"	9 <sup>1</sup> /2"	4"	<sup>13</sup> /16"	3 <sup>1</sup> /8"	6 <sup>3</sup> /8"	36 <sup>3</sup> /8"
Flatt		А	в	С	D	Е	F	G	i	н	T
ZDVRB3622	2 37	7 <sup>5</sup> /32" 5	0 <sup>5/16</sup> "	32 <sup>15/16</sup> "	19 <sup>5</sup> /8"	8 <sup>3</sup> /4"	8 <sup>3</sup> /4"	83	4 <b>"</b>	1"	<b>1</b> <sup>3</sup> /16"

#### STANDARD FEATURES

- > Millivolt or IPI valve system allows operation during a power failure with Hi/low heat and flame adjustment
- > Safety Screen Barrier\*



SAFETY SCREEN BARRIER

#### **OPTIONAL FEATURES**

#### Designer Clean View Circulating Kit – No Louvers Required

Surround Trim Kit – (ZDVRB3622 Model Only) Black and Stainless Steel (36"W x 22 <sup>1</sup>/<sub>2</sub>"H)

Wall Surrounds – Convex, Concave and Flatt with Black or Pewter finishes

- > Keystone Brushed Chrome or Black
- > Designer Band Accents 4 x Black (sml), 2 x Chrome (lrg)
- > Designer Corner Accents 4 x Black

Thermostat – Wall Mount Millivolt Thermostat or Programmable Thermostat

Remote Controls – On/Off, Thermostat, Thermostat Modulating and or Fan Control

Contemporary Rock and or Driftwood Set, **Decorative Stones or Decorative Ember Glass** Porcelain Reflective Liners



Universal Light Kit – Two Lamps (Series II models only) Fan Kit – Heat activated with variable speed control

\* All gas fireplaces manufactured as of January 1, 2015 will include a Safety Screen Barrier.

Width Height ZDVRB3622 29<sup>3</sup>/4" 16<sup>1</sup>/8"

### Wall Surrounds Accents – Flatt (ZDVRB3622 Model Only)



Kingsman Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation. rtification: The model ZDVRB3622 is certified to ANSI 221.88-2014, CSA 2.33-014, CGA 217-M91 (R2009) vented gas fireplace heater. Models MORB4236NT MORB4236NTE, MORB4236LPT and MORB4236LPTE are certified to ANSI Z21.50-2014 CSA 2.22-2014, CGA 217-M91 (R2009) vented gas fireplace. \*Components may have to be ordered separately to create a complete unit. Discuss with your local Marquis Dealer for clarification.

Printed in Canada 🛛 8063 – 12/14 🙌 🚔



2340 Logan Avenue, Winnipeg, Manitoba, Canada R2R 2V3 Phone: 204.632.1962 Fax: 204.632.1960 www.marquisfireplaces.net

Unit Illustrated is a MQRB4236NT Zero Clearance Direct Vent Natural Gas Fireplace, HB42CVCK Designer Clean View Circulating Kit, MQHB42SWCVPW Convex Pewter Wall Surround, MQRB42PL Porcelain Reflective Panels, and Decorated with White Ember Glass.